

Zyklusmed

لمس سلامت | Touching health

PRODUCT CATALOGUE 2023





Raz Teb Amir Medical Group, as the exclusive representative of Zyklusmed products in Iran, started out in 2006 specializing in the import distribution, and sale of medical equipment with the ultimate goal of improving public health.

The Zyklus Med portfolio is composed of three product groups, namely (1) medical and diagnostic, (2) health care and wellbeing, and (3) rehabilitation. All our products meet FDA, CE, and international standards and follow the requirements and approvals of Iran's Ministry of Health, Treatment and Medical Education, Iran Medical Equipment Directorate, Food and Drug Administration of Iran, and Ministry of Industry, Mine, and Trade. Raz Teb Amir Co. is committed to providing quality products and exceptional customer services. We stop short of nothing less than our best performance and the satisfaction of our end users and business partners in the chain of distribution and sales.

Zyklusmed: Easy Access to medical help, treatment, and health for your family

Zyklusmed
لمس سلامتی | Touching health



Medical & Diagnostic

Blood Glucose Monitor.....	2
Digital Blood Pressure Monitor.....	3
Manual Blood Pressure Monitor.....	7
Pulse Oximeter.....	9
Digital Thermometer.....	11
Ear and Forehead Thermometer.....	13

Health Care and Wellbeing

Electric Toothbrush and Water Flosser.....	15
Humidifier.....	21
Analog Scale.....	25
Digital Scale.....	27
Air Purifier.....	29
Electric Massagers.....	31
Orthopedic Pillow.....	33
Absorbent Pads.....	39
Heating Pads.....	41
Hot and Cold Water Bag compress.....	43
Medical Mask.....	45

Rehabilitation

Oxygen Concentrator.....	47
Waving Medical Mattress.....	49
Rollator.....	50
Bathroom Wheelchair.....	51
Commode.....	52
Walker.....	53
Cane.....	54
Underarm and Four-legged Crutches.....	59
TENS Teraphy Device.....	60

Consumables & Accessories

Electric Toothbrush, Water flosser, and Thermometer Accessories.....	62
Blood-pressure Monitor Accessories.....	63
Waving Mattress Accessories.....	64
Air Purifier and Humidifier Accessories.....	65
Oxygen Concentrator Accessories and Consumables.....	66
Oxygen Capsule Accessories.....	67



Medical & Diagnostic



BLOOD GLUCOSE MONITORING SYSTEM TD-4267

98 % accuracy rate

Tiny blood sample required (0.5 microliters)

Measurement in 5 seconds

Measurement mode: GEN, QC, PC, and AC

7/14/21/28/60/90 Day Averaging

Stores up to 450 results with date and time

AST (alternative site testing of different body parts)

Turns on after inserting the test strip

Automatic blood sampling

Switches off after 3 minutes of being idle

Equipped with blood ketone (ketoacidosis) warning

Ambient temperature alarm for accurate measurement

Strip rejection after use to avoid contamination

Equipped with an alarm system

CE and FDA approval





DIGITAL BLOOD PRESSURE MONITOR (ARM TYPE) 08A

Suitable for infants, children, and adults

Data displayed as linear and sine graphs

Measuring blood oxygen saturation in infants, children, and adults

Device settings in Persian and English

Triple users (100 memory units each)

Comes with a color LCD, an adapter, and a spring cuff

Easy connection to PC for viewing specialized reports

Warning alarm for abnormal blood pressure and oxygen levels

Portable, shockproof hard case

Adult blood pressure range: 0-290 mmHg

Children's blood pressure range: 0-235 mmHg

Infant blood pressure range: 0-140 mmHg

CE and FDA approval






Comprehensive Graphical Reports

The powerful reporting feature of this product enables you to share the information with your physician for better diagnosis and treatment.

- Easy data transfer to PC using a USB cable
- Dedicated data analysis software



Infant cuff



Infant pulse oximeter probe



Adult pulse oximeter probe

You may need to buy an infant cuff and infant/adult pulse oximeter probes separately.



DIGITAL BLOOD PRESSURE MONITOR (ARM TYPE) 08C

Measurement of blood oxygen level in both infants and adults

Suitable for three users (a 100-unit memory for each user)

Equipped with an audio indicator for measuring HR & blood oxygen

Equipped with an LCD

Can be connected to computers

Protected by a portable hardcase bag (shockproof)

Equipped with an adapter and a spring cuff

Approved by CE and FDA

DIGITAL BLOOD PRESSURE MONITOR (ARM TYPE) 08C-NEW

Equipped with an LCD

Equipped with a 200-unit memory for a single user

Auto power off

Low-battery notification

Equipped with a ring cuff

Equipped with an adapter and a portable bag

Approved by CE and FDA





DIGITAL BLOOD PRESSURE MONITOR (ARM TYPE) B02

Equipped with night vision light

Display of blood pressure as the AVG of 3 consecutive measurements

Equipped with an audio and musical warning system

Suitable for two users (120-unit memory for each user)

Equipped with an intelligent functioning system for correct operation

Identification and warning of irregular heartbeat (IHB)

Measurement of heartbeat in a range of 40-199 beats / minute

Measurement range: 0-280 mm Hg

Made of ABS material and equipped with an LCD

Protected by a portable hardcase bag (shockproof)

Equipped with an adapter

Approved by CE and FDA

DIGITAL BLOOD PRESSURE MONITOR (ARM TYPE) B01

Display of blood pressure as the AVG of 3 consecutive measurements

Equipped with an audio and musical warning system

Suitable for two users (120-unit memory for each user)

Equipped with an intelligent functioning system for correct operation

Identification and warning of irregular heartbeat (IHB)

Measurement of heartbeat in a range of 40-199 beats per minute

Measurement range: 0-280 mm Hg

Made of ABS material and equipped with an LCD

Protected by a portable hardcase bag (shockproof)

Equipped with an adapter

Approved by CE and FDA





PALM TYPE SPHYGMOMANOMETER HS-201C2

Equipped with an interconnected gauge-pipet filler system with two hoses connected to the gauge

Equipped with a gauge made of a special aluminum for medical use

Equipped with a cuff sized 22-32 cm for adults

Equipped with a cuff with a metal ring

Equipped a standard pipet filler made of PVC

Equipped with a dual diaphragm stethoscope and an air valve

Approved by CE and FDA



PALM TYPE SPHYGMOMANOMETER HS-201C1

Equipped with an interconnected gauge-pipet filler system

Equipped with a gauge made of a special aluminum for medical use

Equipped with a cuff sized 22-32 cm for adults

Equipped with a cuff with a metal ring

Equipped a standard pipet filler made of PVC

Equipped with a dual diaphragm stethoscope and an air valve

Approved by CE and FDA



SPHYGMOMANOMETER STHETOSCOPE KIT HS-50A

Equipped with a gauge and a pipet filler separately

Equipped with a gauge made of a special aluminum for medical use

Equipped with a cuff sized 22-32 cm for adults

Equipped with a cuff with a metal ring

Equipped a standard pipet filler made of PVC

Equipped with a dual diaphragm stethoscope and an air valve

Approved by CE and FDA

SPHYGMOMANOMETER STHETOSCOPE KIT HS-50B

Equipped with a gauge and a pipet filler separately

Equipped with a gauge made of a special aluminum for medical use

Equipped with a cuff sized 22-32 cm for adults

Equipped with a cuff with a metal ring

Equipped a standard pipet filler made of PVC

Equipped with a dual diaphragm stethoscope and an air valve

Approved by CE and FDA





PULSE OXIMETER CMS50D1

Equipped with a color OLED

Manual screen rotation

Adjustment of screen brightness

Measurement of saturated blood oxygen

Display of heartbeat in linear and sinus graphs

Auto power off

Equipoised with a protective hardcase bag

Low-battery notification

Approved by CE and FDA





PULSE OXIMETER CMS50DL

- Equipped with a color LED
- Measurement of saturated blood oxygen
- Display of heartbeat as a linear graph
- Auto power off
- Low-battery notification
- Equipped with a protective hardcase bag
- Approved by CE and FDA

PULSE OXIMETER CMS50QB

- Equipped with a color OLED
- Automatic screen rotation through a special button
- Specifically designed for children
- Display of heartbeat both in audio and as linear and sinus graphs
- Measurement of saturated blood oxygen
- Equipped with a rechargeable lithium battery and a charger
- Auto power off
- Low-battery notification
- Approved by CE and FDA





DIGITAL THERMOMETER (Flexible) BL-T990

Suitable for all ages

Equipped with a soft, comfortable, and flexible probe

Can be used under the tongue, on the armpit, and inside the anus

A measurement speed of 32 seconds

Measurement completion notification

Temperature measurement in a range of 32-42.9°C

Auto power off

Approved by CE and FDA





DIGITAL THERMOMETER CARTOON (Flexible) BL-T920

Suitable for all ages, including children

Equipped with a soft, comfortable, and flexible probe

Can be used under the tongue, on the armpit, and inside the anus

A measurement speed of 32 seconds

Measurement completion notification

Temperature measurement in a range of 32-42.9°C

Auto power off

Made of water-proof acrylonitrile butadiene styrene (ABS)

Approved by CE and FDA

DIGITAL THERMOMETER (Rigid) BL-T900

Suitable for all ages

Can be used under the tongue, on the armpit, and inside the anus

A measurement speed of 32 seconds

Measurement completion notification

Temperature measurement in a range of 32-42.9°C

Auto power off

Approved by CE and FDA





DUAL-MODE INFRARED THERMOMETER JPD-FR409

Equipped with a large screen

Equipped with infrared technology to use through ear and forehead

Equipped with a high-temperature warning system

Fast measurement in a second

Quick shift from forehead mode to ear mode

Made of high-quality ABS material and protected by a hardcase bag

Suitable for all ages

Suitable for measuring the temperature of air and other objects

Display of temperature in two units: Fahrenheit and Celsius

Equipped with an audio indicator of measurement

Equipped with a 20-unit memory

Measurement range in the forehead mode: 35-42.2°C

Measurement range in the ear mode: 35-42°C

Measurement range for objects: 0-100°C

Approved by CE and FDA



Health Care and Wellbeing





Dental Clean Sonic Toothbrush and Oral Irrigator CH-08

four brushing tips for normal clean, daily clean, and sensitive clean

Three modes of brushing: clean, sensitive, and massage

Complete removal of dental plaque

Equipped with a smart timer for automatic shutdown

timer reminder for brushing area replacement by 30-second pause

Equipped with a strong toothbrush with a power of 31,000 beats/min

Equipped with a cover for brushes and water glass

Wireless charging of brushes and water flosser

Equipped with a battery status light

water flosser with an LCD (water pressure, battery status & engine speed)

Containing four water flossing tips for teeth, tongue, and braces

3 modes of water pressure adjustment (normal, soft & pulse)

Equipped with 360-degree rotatable water flossing tips

Equipped with a flossing water tank of 200 ml





Orthodontic Tip
for cleaning dental braces




Tongue Tip
for removal of bad breath



Standard Tip
for cleaning dental implants



Standard Tip
for whitening and interdental brushing





Dental Clean Rotating Electric Toothbrush And Oral Irrigator CH-16

Containing four rotatable tips and a water glass

Two adjustable functioning modes: soft and clean

rechargeable lithium battery (120 minutes of operation after fully charged)

Equipped with a smart timer for shutdown

timer reminder for brushing area replacement by 30-second pause

38-degree rotatable tips for easy access to all dental areas

Equipped with a strong toothbrush with a power of 6,500 beats /min

Equipped with a battery status light

Wireless charging of brushes and water flosser

water flosser with an LCD (water pressure, battery status & engine speed)

Containing four water flossing tips for teeth, tongue, and braces

Three modes of water pressure adjustment (normal, soft & pulse)

Equipped with 360-degree rotatable water flossing tips

Equipped with a flossing water tank of 200 ml







Portable Oral Irrigator WT-128

Equipped with an LCD (water pressure, battery status, and engine speed)

Containing three tips for teeth, tongue, and braces

Three adjustable functioning modes: normal, soft, and pulse

Adjustable water pressure in a range of 40-100 PSI for washing and massaging

Equipped with a 360-degree rotatable tip for washing all dental areas

Equipped with a 200-ml water tank

Wirelessly chargeable





Double-Switch Sonic Electric Toothbrush BH-119

Containing two brushing tips for daily clean and sensitive clean

Three adjustable functioning modes: clean, sensitive, and massage

Equipped with a strong toothbrush with a power of 31,000 beats per minute

Complete removal of dental plaque

Four weeks of operation after fully charged (2 min/ 2 times/ day)

Wirelessly chargeable

Timer remainder for brushing area replacement following a 30-second pause

Equipped with a performance memory

Equipped with a smart timer for automatic shutdown





COOL & WARM ULTRASONIC HUMIDIFIER 37501A

Equipped with a 7.5-liter tank, a water filter, and an aromatic solution chamber
Maximum heat of 70°C

Three adjustable functioning modes: standard, health, and skincare

Equipped with PTC technology for producing warm and cold steam

Water disinfection due to the high temperature (100°C) of evaporating water

Equipped with an ionization system

Humidity level adjustment and display

Three adjustable modes of steam output

Steam output: 400 mm per hour

16 hours of operation with a full water tank

Equipped with a hygrometer for humidity adjustment

Adjustable duration of operation (from 1 to 16 hours)

Equipped with an LED night light with a remote control

Approved by CE





COOL& WARM ULTRASONIC HUMIDIFIER ZYK-CW01

Maximum heat of 70°C

Equipped with a 6-liter tank, a water filter, and an aromatic solution chamber

Equipped with an LED touchscreen and a remote control

Three adjustable modes of steam output and very noiseless

Water disinfection due to the high temperature (100°C) of evaporating water

Extraordinary steam output: 250 ml per hour for cold steam and 550 ml per hour for warm steam

Equipped with PTC technology for producing warm and cold steam

A specially designed, 360-degree rotatable steam tip

Automatic adjustment of environmental humidity

Automatic shutdown when the water tank is empty

Adjustable duration of operation (from 1 to 12 hours)

Equipped with a Piezo cleaning brush and a filter for absorption of salts and sediments

Approved by CE





COOL& WARM ULTRASONIC HUMIDIFIER ZYK-CW02

Maximum heat of 70°C

Equipped with a 6-liter tank, a water filter, and an aromatic solution chamber

Equipped with an LED touchscreen and a remote control

Three adjustable modes of steam output and very noiseless

Water disinfection due to the high temperature (100°C) of evaporating water

steam output: 250 ml/hour for cold steam and 550 ml/hour for warm steam

Equipped with PTC technology for producing warm and cold steam

A specially designed, 360-degree rotatable steam tip

Equipped with a hygrometer for humidity adjustment (40-80%)

Automatic adjustment of environmental humidity

Automatic shutdown when the water tank is empty

Adjustable duration of operation (from 1 to 12 hours)

Equipped with a Piezo cleaning brush and a filter for absorption and sediments

Approved by CE



COOL ULTRASONIC HUMIDIFIER ZYK-C07

- Adjustable steam output
- Equipped with an LED touchscreen
- Equipped with a 4-liter water tank
- A maximum humidity output of 300 ml/hour
- Equipped with a timer and a remote control
- Suitable for an area of 25-30 m²
- Automatic shutdown when the water tank is nearly empty
- Sleep mode
- Equipped with an aromatic solution chamber
- Approved by CE



COOL ULTRASONIC HUMIDIFIER ZYK-C06

- Adjustable steam output
- Equipped with a 4-liter water tank
- A maximum humidity output of 300 ml/hour
- Suitable for an area of 25-30 m²
- Automatic shutdown when the water tank is nearly empty
- Approved by CE



FACIAL STEAMER ZYK-368

- Adjustable steam output
- Equipped with an aromatic solution chamber
- Equipped with a nose mask
- Equipped with a measuring cup
- Approved by CE





MECHANICAL BATHROOM SCALE ZYKMS02

Measurement capacity: 160 kg

Measurement accuracy: 1 kg

Size: 28.5×42.5×8.5 cm

Made of metal

Approved by CE





MECHANICAL BATHROOM SCALE ZYKMS01

Measurement capacity: 160 kg

Measurement accuracy: 1 kg

Size: 28.5×42.5×8.5 cm

Made of metal

Approved by CE

MECHANICAL BATHROOM SCALE ZYKMS03

Measurement capacity: 180 kg

Measurement accuracy: 1 kg

Measurement unit: kilogram (kg) and pounds (lbs)

Made of metal

Equipped with a plastic frame

Size: 30.6×31.6×4.7 cm

Approved by CE





DIGITAL BABY SCALE ZYKDS05

Equipped with a detachable plate to convert baby scale to child scale


Measurement capacity: 20 kg

Measurement accuracy: 5 g

Equipped with an LCD with a night vision light

Size: 11×33×58 cm





DIGITAL PERSONAL BATHROOM SCALE ZYKDS06

Equipped with an ambient temperature sensor

Equipped with a high-accuracy measurement sensor

Equipped with an unbreakable glass plate

Equipped with an LCD with a night vision light

Measurement capacity: 2-180 kg, measurement accuracy: 100 g

Equipped with auto power off

Equipped with an automatic operation system

Low-battery notification

Measurement unit: kilogram (kg), pounds (lbs), and stone (st)

Approved by CE

DIGITAL PERSONAL BATHROOM SCALE ZYKDS07

Equipped with a high-accuracy measurement sensor

Equipped with an unbreakable glass plate

Equipped with a color LCD with a night vision light

Measurement capacity: 2-180 kg, measurement accuracy: 100 g

Equipped with auto power off

Equipped with an automatic operation system

Measurement unit: kilogram (kg) and pounds (lbs)

Approved by CE





FLOOR TYPE AIR PURIFIER LY868C

Equipped with a VOC sensor for detecting and displaying volatile organic gases

Equipped with a PM2.5 sensor for detecting and displaying small particles

Ambient temperature and humidity display

Equipped with an ionization system for producing negative ions

Fives adjustable modes of air outflow speed

Equipped with a reminder for filter replacement & an air quality status screen

Automatic and manual settings

Sleep mode for reducing the device noise

filters: pre-filter, HEPA, carbon, and photocatalyst

Equipped with a UV lamp for eliminating pathogenic microorganisms

Equipped with a long-life and low-energy DC engine

Suitable for an area of 170 m² or 510 m³


Equipped with a remote control

Approved by CE and the Iranian Department of Environment





Equipped with four filters (pre-filter, HEPA, carbon, and photocatalyst) and a UV lamp, Zyklusmed air purifier (LY868C) not only protects all family members against all particles and allergens but also eliminates viruses and bacteria in the air.



Equipped with a powerful engine, this device can purify the air in an indoor area of 170 m^2 in one hour.



WAVE GUN PORTABLE MASSAGE DEVICE ZYM8000C

A portable massager uniquely designed for human body ergonomics

Five adjustable levels of massaging intensity

Equipped with 6 tips for different parts of the body

Three different modes of massaging

Battery status indicator

Equipped with a chargeable battery with a charger

A portable hardcase bag

Automatic shutdown after 10 minutes






All body muscles



Neck and spine
Achilles



Accumulated fat
Abdominal muscles



Arms and feet



Deep tissues



Large muscles
Chest and hip joint





FLOATING GROOVE NECK PILLOW ZYK-GW

Made of memory foam

Covered with a layer of antiperspirant and antibacterial natural fibers

Containing a gossamer lining for air circulation

Containing embossed grooves for better air circulation

Sizes:

XL (10-13×60×33 cm)

XXL (12-15×60×33 cm)





FLOATING NECK PILLOW ZYK-W

Made of memory foam

Covered with a layer of antiperspirant and antibacterial natural fibers

Containing a gossamer lining for air circulation

Size:

M (7-10×30×50 cm)

FLOATING NECK PILLOW ZYK-W

Made of memory foam

Covered with a layer of antiperspirant and antibacterial natural fibers

Containing a gossamer lining for air circulation

Sizes:

M (7-10×30×50 cm)

L (10-13×30×50 cm)

XL (12-14×30×50 cm)



**CLASSIC NECK PILLOW ZYK-CL**

Made of memory foam

Covered with a layer of antiperspirant and antibacterial natural fibers

Containing a gossamer lining for air circulation

Size: 18×41×61 cm

NECK PILLOW ZYK-BP

Made of memory foam

Covered with a layer of antiperspirant and antibacterial natural fibers

Containing a gossamer lining for air circulation

Size: 9-14.5×30×50 cm





PREGNANCY PILLOW ZYK-PC

Made of memory foam

Covered with a layer of antiperspirant and antibacterial natural fibers

Designed based on human body ergonomic features & adjustable height

Suitable for those suffering from lumbar herniated disc and knee arthritis

Maintaining the right distance between knees to prevent pelvic pain

C-shaped

Containing a gossamer lining for air circulation

Size: 20×65×125 cm





U-NECK PILLOW ZYK-NC

Made of memory foam

Covered with a layer of antiperspirant and antibacterial natural fibers

Equipped with a strap for tightening around the neck

Size: 10×26×36 cm



CAR CUSHION ZYK-CP

Made of grooved memory foam for better air circulation

Covered with a layer of antiperspirant and antibacterial natural fibers

Containing a gossamer lining for air circulation

Size: 9×41×34 cm



OFFICE CUSHION ZYK-B

Made of memory foam

Covered with a layer of antiperspirant and antibacterial natural fibers

Containing a gossamer lining for air circulation

Size: 10×37×35 cm



SEAT CUSHION ZYK-RHC


Made of memory foam

Covered with a layer of antiperspirant and antibacterial natural fibers

Containing a textured bottom layer for preventing slipping or falling out underneath

Containing a gossamer lining for air circulation

Size: 8×40×40 cm





UNDERARM SWEAT PADS

Easy to use and effective

Thin, light, and highly absorbent

Fragrant, antibacterial, anti-odor, and hypoallergenic

Protection of clothes against discoloration caused by perspiration

Sanitary packaging

Extra strong adhesive for secure placement to all fabrics





UNDERARM SWEAT PADS

Easy to use and effective

Thin, light, and highly absorbent

Fragrant, antibacterial, anti-odor, and hypoallergenic

Protection of clothes against discoloration caused by perspiration

Sanitary packaging

Extra strong adhesive for secure placement to all fabrics

BREAST PAD

Protection of clothes against milk spills

Highly absorbent and suitable for use during the day and night

Thin, light, and very soft to prevent irritating the nipples

Sanitary packaging

Hypoallergenic

Extra strong adhesive for secure placement to all fabrics





MICROFIBER HEATING UNDERBLANKET

Covered with a layer of microfibers and wool lining

Size: 150×80 cm

Equipped with a detachable remote control

Generating heat above 60°C

Automatic shutdown after 3 hours of no operation

Generating desirable heat in 15 minutes

Eleven adjustable heat levels

Power consumption: 70 watts





MICROFIBER MOISTURE HEATING PAD ST330

Generating moist heat up to 70°C

Eighth adjustable heat levels

Size: 66×30 cm

Washable cotton lining and microfiber cover

Equipped with a control button and an LED

Generating desirable heat in 5 minutes

Equipped with an internal electrical circuit protection system against overheating

Equipped with a timer

Power consumption: 80 watts

Auto power off

MICROFIBER HEATING PAD ST004/ST002

Light, flexible, and waterproof

Washable vinyl lining and microfiber cover

Three adjustable heat levels: L/M/H

Power consumption: 45 watts

Generating optimal heat for soothing pain

Sizes: ST002 (Small size): 30×40 cm, ST004 (Large size): 40×60 cm





HOT WATER BOTTLE WITH COVER

A metal opening made of rust-resistant brass

Equipped with a plastic lid and a rubber gasket to prevent water leakage

Capacity: 2 liters

Safety Standard BS 1970:2012

Covered with different colors (6 colors)





HOT WATER BOTTLE

A metal opening made of rust-resistant brass

Equipped with a plastic lid and a rubber gasket to prevent water leakage

Capacity: 2 liters

Available in 6 different colors

Safety Standard BS 1970:2012



HOT & ICE BAG

Made of two-layer fabrics to prevent quick ice melting

Covered with a safe and large layer of plastic for ease of use

Highly flexible





FACE MASK ZY1030

Designed in compliance with ISO10004, ISO10002, ISO9001, and ISO13485

Consisting of two 25-gram layers of spunbond

Consisting of a layer of melt-blown (imported)

Consisting of straps produced based on ultrasonic technology

Approved by Iran's Ministry of Health and Medical Education

Available in five colors



FACE MASK ZY1040

Designed in compliance with ISO10004, ISO10002, ISO9001, and ISO13485

Consisting of two 25-gram layers of spunbond

Consisting of a layer of melt-blown (domestically produced)

Consisting of straps produced based on ultrasonic technology

Approved by Iran's Ministry of Health and Medical Education

Available in five colors



Rehabilitation





OXYGEN CONCENTRATOR K5BW

Equipped with a nebulizer and a nebulizer set

Equipped with a purity sensor

Equipped with internal and external antibacterial filters

Generating 5 liters of 90% pure oxygen per minute

Smart calculation of device performance

Smart control of performance and oxygen purity

Equipped with a warning system for oxygen pressure or purity drop

warning system for air blockage, power failure, and high and low pressure

Equipped with an LED

Equipped with a safety system for protection against overload and overheating


Size: 30×53×35 cm, weight: 16 kg

Nearly noiseless operation (less than 48 dB)

Approved by CE



Generating 5 liters of 93% ($\pm 3\%$) pure oxygen per minute



Nearly noiseless operation

Noise $\leq 48\text{dB}$



ALTERNATING PRESSURE MATTRESS QDC301

Containing 18 large air cells and a spare cell made of PVC

Size: 200×87×11 cm

Equipped with a washable protective cover

Supports up to 120 kg

Generating 5-8 liters of air per minute

Fully filled and emptied in 12 minutes

Equipped with a strong and nearly noiseless engine

Equipped with a safety fuse for controlling power surge

Approved by FDA and CE



ALTERNATING PRESSURE MATTRESS QDC800

Consisting of a detachable part for bedpan

Containing 24 air cells and a spare cell made of PVC

Size: 180×80×7.5 cm

Supports up to 110 kg

Generating 5-8 liters of air per minute

Fully filled and emptied in 12 minutes

Equipped with a strong and nearly noiseless engine

Equipped with four bumpers to prevent engine vibrations

Equipped with a safety fuse for controlling power surge

Approved by FDA and CE

ANTI BED-SORE BABBLE MATTRESS QDC303

Suitable for bedsores prevention

Equipped with a strong and nearly noiseless engine

Equipped with a safety fuse for controlling power surge

Containing 130 small cells made of PVC

Supports up to 100 kg

Generating 4-6 liters of air per minute

Fully filled and emptied in 6 minutes

Containing a spare fuse and a toolkit

Size: 200×90×7 cm

Approved by FDA and CE





ALUMINUM ROLLATOR WITH 8"WHEELS HY8400L1

Foldable, compact, and easy to carry

Made of light aluminum and covered with a layer of static dye

Equipped with reliable brakes

Equipped with eight 8-inch standard wheels

Consisting of a handled basket, a support, and a chair for rest

Supports up to 115 kg

Adjustable height from 77 to 90 cm

Approved by FDA and CE

ALUMINUM ROLLATOR WITH FOOTREST HY8500L

Foldable, compact, and easy to carry

Made of light aluminum and covered with a layer of static dye

Equipped with a footrest and a support handle for better balance while sitting

Equipped with reliable brakes

Equipped with eight 8-inch standard wheels

Consisting of a handled basket, a support, and a chair for rest

Adjustable height from 77 to 90 cm

Can be used as a wheelchair

Equipped with a movable support for changing the sitting position

Supports up to 115 kg

Approved by FDA and CE





STEEL COMMODE CHAIR ZY613

Made of iron and covered with a layer of powdered static dye

Four small wheels (smooth) for easy transportation

Equipped with a brake for greater safety

Can be positioned over a standard toilet

A movable and foldable handle

A movable footrest

A detachable bedpan

A safe support for patient comfort

Very comfortable and durable

Supports up to 100 kg

ALUMINUM COMMODE CHAIR ZY614 L

Made of strong and rust-resistant aluminum

Four small wheels (smooth) for easy transportation

Equipped with a brake for greater safety

Can be positioned over a standard toilet

A movable footrest and a handle

A detachable bedpan

A safe support for patient comfort

Supports up to 100 kg

Very comfortable and durable





STEEL FOLDING COMMODE ZY618

Adjustable height from 41 to 54 cm

Supports up to 115 kg

Foldable, compact, and easy to carry

A detachable bedpan

Made of iron and covered with a layer of powdered static dye

A large seat suitable for obese people

A support and a handle

STEEL DROP ARM COMMODE ZY667

Adjustable height from 42 to 55 cm

Supports up to 115 kg

Foldable, compact, and easy to carry

A detachable bedpan

Foldable handles

A support

Made of iron and covered with a layer of powdered static dye





ALUMINUM RECIPROCATION FOLDING WALKER ZY811 L

A foldable walker made of very light aluminum

Equipped with 3 axes moving spirally

Adjustable height from 76 to 93.5 cm

Supports up to 100 kg

Anti-wearing and anti-slipping bases

A handle made of soft foam

ALUMINUM ONE BUTTON FOLDING WALKER WITH 5" WHEELS ZY8TILG-5

A foldable walker made of very light aluminum

Equipped with 3 axes moving spirally

Adjustable height from 77.5 to 95 cm

Supports up to 100 kg

Equipped with two 5-inch front wheels for ease of movement

Anti-wearing and anti-slipping bases

A handle made of soft foam





CANE



An anti-wearing and anti-slipping base
 Covered with a layer of powered static dye
 A strong and light body made of aluminum

A handle made of brass
 Supports up to 100 kg
 Adjustable height from 75 to 95 cm



CANE



An anti-wearing and anti-slipping base
Covered with a layer of powered static dye
A strong and light body made of aluminum

A handle made of brass
Supports up to 100 kg
Adjustable height from 75 to 95 cm



CANE



An anti-wearing and anti-slipping base
 Covered with a layer of powered static dye
 A strong and light body made of aluminum

A handle made of acrylic
 Supports up to 100 kg
 Adjustable height from 75 to 95 cm



An anti-wearing and anti-slipping base
 Covered with a layer of powered static dye
 A strong and light body made of aluminum

A handle made of foam and plastic
 Supports up to 100 kg
 Adjustable height from 75 to 95 cm

CANE



An anti-wearing and anti-slipping base

Covered with a layer of powered static dye

A strong and light body made of aluminum

A handle made of wood

Supports up to 100 kg

Adjustable height from 75 to 95 cm



3 SIZE CRUTCH ZY801

Adjustable height

Supports up to 100 kg

Made of light and durable aluminum

An anti-wearing and anti-slipping base

A soft handle and supporter made of foam

Available in three sizes:

small (minimum height: 92-117 cm)

medium (minimum height: 113-133 cm)

large (minimum height: 134-154 cm)



CANE ZY843

A plastic handle

Made of iron and aluminum

Adjustable height from 73 to 96 cm

Supports up to 100 kg

Anti-wearing and anti-slipping bases

CANE ZY842

A plastic handle

Made of iron and aluminum

Adjustable height from 66 to 89 cm

Supports up to 100 kg

Anti-wearing and anti-slipping bases





TENSE THERAPY DEVICE JPD-ES210

Consisting of two highly adhesive pads

Five adjustable modes: massage, acupuncture, tapping, cupping, and kneading

Scraping (combined)

Adjustable intensity from 0 to 15

Adjustable duration from 5 to 60 minutes

Adjustable pulse frequency from 1 to 120 Hz

Equipped with an audio warning system for pad-device disconnection

Low-battery notification

Suitable for two users

Equipped with auto power off

Approved by FDA and CE

TENSE THERAPY DEVICE JPD-ES200

Consisting of four highly adhesive pads

Five adjustable modes: massage, acupuncture, tapping, cupping, and scraping

Adjustable intensity from 0 to 15

Adjustable duration from 5 to 120 minutes

Adjustable pulse frequency from 1 to 120 Hz

Equipped with an audio warning system for pad-device disconnection

Low-battery notification

Suitable for two users

Equipped with auto power off

Approved by FDA and CE



Consumables & Accessories

Round tip of electric toothbrush

Suitable for CH-16 electric toothbrush and water flosser set



Flat tips of electric toothbrush

Suitable for CH-08 electric toothbrush and water flosser set

Suitable for BH-119 electric toothbrush

Equipped with three tips: normal, daily, and sensitive

Water flossing tip

Suitable for CH-16 electric toothbrush and water flosser set

Suitable for CH-08 electric toothbrush and water flosser set

Suitable for the WT-128 water flosser

Equipped with three tips for tongue, braces, and gum



Disposable ear thermometer cover

Suitable for JPD-FR409 ear and forehead thermometer

Baby cuff

Suitable for O8A blood pressure monitor

Size: 8-11 cm



Adult spring cuff

Suitable for O8A and O8C blood pressure monitors

Size: 22-42 cm



Baby pulse oximeter probe

Suitable for O8A and O8C blood pressure monitors



Adult pulse oximeter probe

Suitable for O8A and O8C blood pressure monitors

Large cells of wavy mattresses

Suitable for QDC800 wavy mattress



Small cells of wavy mattresses

Suitable for QDC800 wavy mattress

Wavy mattress cell

Suitable for QDC301 wavy mattress



Waving mattress

Suitable for QDC303 wavy mattress

HEPA filter

This filter should be replaced whenever the filter lifespan indicator notifies on the LCD



Carbon filter

This filter should be replaced whenever the HEPA filter is replaced

Humidifier filter

Suitable for COOL & WARM ULTRASONIC HUMIDIFIER / 37501A



Air humidifier glass

Suitable for OXYGEN CONCENTRATOR / K5BW

Oxygen concentrator nebulizer set

Suitable for OXYGEN CONCENTRATOR / K5BW



Oxygen concentrator nasogastric (NG tube)

Suitable for OXYGEN CONCENTRATOR / K5BW

Single-user for a maximum of one month

Oxygen concentrator external filter

Suitable for OXYGEN CONCENTRATOR / K5BW

This filter should be replaced every 800 hours



Oxygen concentrator internal filter

Suitable for OXYGEN CONCENTRATOR / K5BW

This filter should be replaced every 2,000 hours

10-liter oxygen capsule

Unibody with no welding

Made of steel

A special handle for transportation

Working pressure: 150 bar

Testing pressure: 250 bar

ISO3809

Made in China



Oxygen capsule manometer

Equipped with a safety valve

Made of steel with brass fittings

Oxygen flow: 1-15 liter per minute

Equipped with a gauge covered with a shockproof layer

Equipped with a filter to prevent the entry of dirt into the nozzle

Inlet and outlet fittings designed in compliance with international standards

ISO13485

Equipped with an oxygen humidifier glass

Zyklusmed

لمس سلامت | Touching health

Raz Teb Amir Co, Exclusive Representative of Zyklusmed in Iran

Address: No.22, Jomhuri Cross, Felestin St ,Tehran, Iran.....

Contact Number: +9821 6697 7927-8.....

 Zymed.ir

WWW.ZYKLUSMED.IR

WWW.ZYKLUSMED.COM